

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	17	(clad\$4 near5 (aperture hole opening)) same ((high-refract\$3 large-refract\$3) ((high large) near4 refract\$4)) near5 (paint film coat\$3 layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:13
L8	7	(waveguide fiber fibre) near7 ((side lateral\$4) near4 (emit\$4 emiss\$5)) same ((high-refract\$3 large-refract\$3) ((high large) near4 refract\$4)) near5 (paint film coat\$3 layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:14
L10	4	(waveguide fiber fibre) near7 ((side lateral\$4) near4 (emit\$4 emiss\$5)) same ((paint\$3 film coat\$3 layer) near5 (fluoresc\$5 phosphoresc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:14
L11	38	(waveguide fiber fibre) near7 ((side lateral\$4) near4 (emit\$4 emiss\$5)) and ((paint\$3 film coat\$3 layer) near5 (fluoresc\$5 phosphoresc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 09:55
L12	1199	(fiber fibre) same ((paint\$3 film coat\$3 layer) near5 (fluoresc\$5 phosphoresc\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 09:56
L14	70	(fiber fibre) same ((paint\$3 film coat\$3 layer) near5 (fluoresc\$5 phosphoresc\$5)) same (transmission)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:04
L16	5	L14 and (clad\$4 near5 (aperture hole opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:06
L17	14	L12 and (clad\$4 near5 (aperture hole opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:06
L23	0	(waveguide fiber fibre) near7 ((side lateral\$4) near4 (emit\$4 emiss\$5)) same (clad\$4 near5 (aperture hole opening)) same mask\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:45

L26	9	((fiber fibre) same (clad\$4 near5 (aperture hole opening))) near6 mask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:20
L27	32	((fiber fibre) and (clad\$4 near5 (aperture hole opening))) near6 mask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:25
L28	122	(fiber fibre) same (clad\$4 near5 mask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:25
L29	16	L28 and (clad\$4 near5 (aperture hole opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:27
L30	51	L28 and (aperture hole opening)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:27
L31	3	(waveguide fiber fibre) near7 ((side lateral\$4) near4 (emit\$4 emiss\$5)) same (clad\$4 near5 mask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:47
L32	25	(waveguide fiber fibre) near7 ((side lateral\$4) near4 (emit\$4 emiss\$5)) and (clad\$4 near5 mask\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 10:47
L33	122	color same (filter\$3 near3 wheel) same (fiber fibre)	US-PGPUB; USPAT	OR	ON	2005/06/03 12:54
L34	3	L33 and (instrument near panel)	US-PGPUB; USPAT	OR	ON	2005/06/03 12:52
L35	122	L33	US-PGPUB; USPAT	OR	ON	2005/06/03 12:55
L38	1	2001WO-DE01591.ap,prai.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 13:24
S1	14	("3971891" "4422719" "4471412" "4747658" "4759600" "5027259" "5050956" "5222795" "5321784" "5606637" "5816626" "5901267" "6206533" "6431717").PN.	US-PGPUB; USPAT	OR	ON	2005/06/02 18:49

S2	1137	((instrument near2 panel) dashboard) same (fiber fibre waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 18:53
S3	5910	(clad\$4 near5 (aperture hole opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 09:34
S4	3	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 12:47
S5	57187	(waveguide fiber fibre) near5 (aperture hole opening)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 18:56
S6	75	S2 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 18:57
S7	20	S6 and (paint fluoresc\$3 phosphoresc\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 19:04
S8	19	S6 and (wheel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 18:58
S9	10	S7 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 19:01
S10	3	(clad\$4 near5 (aperture hole opening)) same (selective\$3 near3 (apply\$3 application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 19:05
S13	3581	((clad\$4 fiber fibre waveguide) near5 (aperture hole opening)) same (predetermin\$3 predefin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 19:08

S14	4	S13 and (paint near5 (aperture hole opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 19:10
S15	1311	((instrument near3 (panel display)) dashboard) same (fiber fibre waveguide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 19:12
S16	104119	(fiber fibre waveguide clad\$4) near5 (aperture hole opening gap\$4 space orifice slit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/02 19:14
S17	147	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/03 09:31